



Interkokask® RTU

The Broad Spectrum Veterinary Disinfectant



Interkokask® RTU

- Broad spectrum of activity
 - Bacteria, viruses, fungi.
 - Protozoa,
 - Coccidial oocysts.
- Broad range of uses
 - Dogs kennels/runs/yards, Rabbit/Guinea pig hutches, Small animal cages, Pigeon lofts, Chicken houses, Dovecotes and Vivariums.

Interkokask RTU is available to the public via the veterinary surgeon. It is a development of the commercial disinfectant Interkokask® which has been approved by DEFRA in the UK, and to the German DVG and European hygiene standards.

Active ingredient: Chlorocresol

Applications

Interkokask RTU is a modern ready-to-use phenol based disinfectant developed from the commercial product Interkokask®, a DEFRA approved disinfectant used extensively in the commercial poultry and swine industries.

Interkokask RTU is effective against bacteria (e.g. Salmonella, E.coli, S. Aureus, S. equi), viruses (e.g. Influenza, IBD, IBR, Coronavirus, Parvovirus) fungi (e.g. Ringworm) and protozoa (e.g. Giardia, Toxoplasma, E. cuniculi) as well as many endoparasites including: coccidial oocysts. Interkokask® Concentrate is available for commercial users who wish to treat larger surface areas e.g. small holdings, quarantine/breeding kennels/runs/yards, veterinary establishments, stables etc.

Directions for use

Interkokask RTU is a surface disinfectant and should NOT be used while the animal is still present. The disinfectant should be left in contact with the housing for up to 2 hours.

500mls of Interkokask RTU is sufficient to cover approximately 5 square metres.

1 litre Interkokask concentrate will treat up to 125 square metres (1,350 square feet).

- Remove all bedding, food, drinking equipment etc.
In vivariums, special care should be taken to remove any absorbent materials (wooden or other porous materials) prior to disinfection. Clean surfaces thoroughly.
 - Apply Interkokask RTU from a distance of 30 cm (12 inches) so that the surface is wet. Be sure to treat all cracks, crevices and holes.
 - Leave for 30 minutes if treating against bacteria, viruses or fungi, otherwise leave for 2 hours. Rinse the surfaces with clean water. Vivariums must be rinsed thoroughly.
 - Water, bedding, food, equipment etc and animals can be replaced when surfaces are dry.
-
- Usual safety precautions should be observed when handling chemicals.
 - **Chlorocresol can cause an allergic reaction.**
 - If swallowed seek medical advice immediately and show this leaflet.
 - This product and its container must be disposed of safely.
 - The bottle must be transported and stored upright
 - Protect from frost.
 - Avoid direct contact with cats and fish.
 - Do not spray onto furniture or soft furnishings.

Use biocides safely.
Always read the label and product information before use!